



Byggvarubedömningen's Application form

Byggvarubedömningen's Application form meet the requirements regarding chemical content in coherence with eBVD2015.

FDMQ 120

1. General information

Supplier information	
Supplier	MANDÍK, a.s.
Contact person at Supplier	Veronika Jenčíková
E-mail address to contact person	jencikova.veronika@mandik.cz
Phone number to contact person	+420728377974
Social responsibility in the Supply Chain	
Have your company or organisation relevant certificates regarding Social responsibility?	
Have your company or organisation a written Policy or a Code of conduct handling Social responsibility in supply chain?	
Is someone in you company's management team appointed responsible for work and routines regarding Social responsibility?	
Is there a routine within your company or organisation how to take action in supply chain regarding Social responsibility?	

2. Product information

Product	
Product name	FDMQ 120
City and Country for production of product	Hostomice, Czech Republic
Country for raw material recovery	
Product description	The Damper in the HVAC equipment duct that prevents the spread of fire and combustion products from one fire segment to another by shutting off the airflow at the fixture points.
BSAB	QJC.11 - Brandgasspjäll med ställdon
BK04-code	21099 Ventilation övrigt

Type of product	
Type of product	Electronic
Area of use	Inside
Is the product covered by the PAH Regulation?	No
Is the product covered by the RoHS Directive (2011/65/EU.)?	Yes
If the product is subject to an exemption, please specify it here:	
Has a Declaration of performance, in accordance with European Construction Products Regulation (EU) nr 305/2011, been prepared for the product?	Yes

3. Declaration of contents

Public substance						
Substance	CAS / EC / alloy number	Total weight-% of the substance in the product	Component	Weight-% of the substance in the component/raw material	Comment	Function of the substance in the product
Stål EN 1.0226 C Si Mn P S Ti (DX51D, FeP02G)	Alloy number: 1.0226	≤ 3.22375 %	Actuator BELIMO	9.6% ≤ x ≤ 25.79%		
Stål, låglegerat, 1.0350 (DX52D, FeP03G)	CAS: 6846 7-81-2 All-oy number: 1.0350	≤ 1.565%	Actuator BELIMO	4.38% ≤ x ≤ 12.52%		
Spring steel		≤ 1.37125 %	Actuator BELIMO	3.84% ≤ x ≤ 10.97%		
Stål, EN 1.0718, 0,2-0,35% Pb, (DIN 9SMnPb28, AFNOR S250Pb, UNI CF9SMnPb28, 11SMnPb30)	Alloy number: 1.0718	≤ 1.1675%	Actuator BELIMO	3.27% ≤ x ≤ 9.34%		
Stål, olegerat, ospecificerad kvalitet		≤ 1.0125%	Actuator BELIMO	2.84% ≤ x ≤ 8.1%		
Polyvinylklorid, PVC, Ethene, chloro-, homopolymer	CAS: 9002-86-2	≤ 0.6975%	Actuator BELIMO	1.95% ≤ x ≤ 5.58%		

Koppar	CAS: 7440-50-8 EC: 231-159-6	$\leq 0.62125\%$	Actuator BELIMO	$1.74\% \leq x \leq 4.97\%$		
Kolstål EN 10025-2		$\leq 0.31625\%$	Actuator BELIMO	$0.89\% \leq x \leq 2.53\%$		
Poly(oxymethylen-e)	CAS: 9002-81-7	$\leq 0.245\%$	Actuator BELIMO	$0.69\% \leq x \leq 1.96\%$		
Galvaniserad stål		$\leq 0.20875\%$	Actuator BELIMO	$0.58\% \leq x \leq 1.67\%$		
Benzene-1,2,4-tricarboxylic acid	CAS: 528-44-9 EC: 208-432-3	$\leq 0.175\%$	Actuator BELIMO	$0.49\% \leq x \leq 1.4\%$		
Stål, EN 1.0347 olegerat (SS 1146, St13, FeP03, DC03)	Alloy number: 1.0347	$\leq 0.14375\%$	Actuator BELIMO	$0.4\% \leq x \leq 1.15\%$		
Förzinkat stål (1.0330, DC01 + EN 10152)	Alloy number: 1.0330	$\leq 0.13625\%$	Actuator BELIMO	$0.38\% \leq x \leq 1.09\%$		
Stål, EN 1.0715 C, Si, Mn, P, S (11SMn30 DIN 9SMn28, AFNOR S250)	Alloy number: 1.0715	$< 0.09375\%$	Actuator BELIMO	$< 0.75\%$		
Metall, ospecificerad		$< 0.08125\%$	Actuator BELIMO	$< 0.65\%$		
Tenn	CAS: 7440-31-5 EC: 231-141-8	$< 0.06625\%$	Actuator BELIMO	$< 0.53\%$		
Ämnesspecificerad Bronslegering		$< 0.04875\%$	Actuator BELIMO	$< 0.39\%$		

Stål EN 1.0737, 0.2-0.35% Pb (SS 1926, 11SMnPb37, DIN 9SMnPb36, AFNOR S300Pb, UNI CF9SMnPb36)	Alloy number: 1 .0737	< 0.03625 %	Actuator BELIMO	< 0.29%		
Stål 1.5511 (ej Ni, Pb)	Alloy number: 1 .5511	< 0.03625 %	Actuator BELIMO	< 0.29%		
Polykarbonat	CAS: 2493 6-68-3	≤ 0.0325%	Actuator BELIMO	0.09% ≤ x ≤ 0.26%		
ABS plast	CAS: 9003- 56-9	< 0.0275%	Actuator BELIMO	< 0.22%		
Polybutylterefalat	CAS: 2496 8-12-5	< 0.02625 %	Actuator BELIMO	< 0.21%		
Polypropen (PP)	CAS: 9003- 07-0	< 0.01875 %	Actuator BELIMO	< 0.15%		
Metall, ospecificerad		< 0.01625 %	Actuator BELIMO	< 0.13%		
Sintmetall, Sint D30	Alloy number: Si- nt D30	< 0.015%	Actuator BELIMO	< 0.12%		
Formaldehyde	CAS: 50-00 -0 EC: 20 0-001-8	< 0.0125%	Actuator BELIMO	< 0.1%		
Rostfritt stål EN 1.4301, 8-10,5% Bedömning på legeringsnivå	CAS: 1259 7-68-1 All- oy number: 1 .4301, X5CrNi18-1 0	< 0.0125%	Actuator BELIMO	< 0.1%		
Zink (metallisk)	CAS: 7440- 66-6 EC: 231-175-3	< 0.01125 %	Actuator BELIMO	< 0.09%		

Stål, olegerat, 1.1248 (DIN Ck75, AISI 1075, CK 35)	Alloy number: 1 .1248	< 0.01125 %	Actuator BELIMO	< 0.09%		
Stål, 51CrV4, 1.8159	Alloy number: 1 .8159	< 0.008875 %	Actuator BELIMO	< 0.071%		
Polyamid (PA)		< 0.00375 %	Actuator BELIMO	< 0.03%		
ABS (Acrylnitril-Butadie- n-Styrol)	CAS: 9003- 56-9	≤ 0.003625 %	Actuator BELIMO	0.012% ≤ x ≤ 0.029%		
Rostfritt stål EN 1.4310, 6-9,5 % Ni, Bedömning på legeringsnivå	CAS: 1259 7-68-1 All- oy number: 1 .4310, X10CrNi18- 8	< 0.003%	Actuator BELIMO	< 0.024%		
Bly	CAS: 7439- 92-1 EC: 231-100-4	< 0.001125 %	Actuator BELIMO	< 0.009%		
Nickel (metallisk)	CAS: 7440- 02-0 EC: 231-111-4	< 0.000875 %	Actuator BELIMO	< 0.007%		
Kalciumsilikat, Wollastonite	CAS: 1398 3-17-0 EC : 237-772- 5	3.335% ≤ x ≤ 21.301%	Blade of the damper	25% ≤ x ≤ 35%		

Portlandcement Vitcement	CAS: 6599 7-15-1 EC : 266-043- 4	2.001% ≤ x ≤ 12.172%	Blade of the damper	15% ≤ x ≤ 20%		
Kvarts	CAS: 1480 8-60-7 EC : 238-878- 4	2.001% ≤ x ≤ 12.172%	Blade of the damper	15% ≤ x ≤ 20%		
Silicic acid, calcium salt, Kalciumsilikat	CAS: 1344- 95-2 EC: 215-710-8	1.334% ≤ x ≤ 9.129%	Blade of the damper	10% ≤ x ≤ 15%		
Perlit, expenderad	CAS: 9376 3-70-3	0.667% ≤ x ≤ 6.086%	Blade of the damper	5% ≤ x ≤ 10%		
Cellulosa	CAS: 9004- 34-6 EC: 232-674-9	0.3335% ≤ x ≤ 3.043%	Blade of the damper	2.5% ≤ x ≤ 5%		
Kallvalsad förzinkad stålplåt (DIN:DC51D, Z275)		29.92969 % ≤ x ≤ 69.18685 2%	Body of the damper	83.3% ≤ x ≤ 93.42%		
Stål EN 1.0038, olegerat (SS 1311, SS1312, S235JR, 1015, RSt37-2, S235JRG2)	Alloy number: 1 .0038	0.600031 % ≤ x ≤ 4.687998 %	Body of the damper	1.67% ≤ x ≤ 6.33%		
EPDM synonym Ethylene-ethylide- nenorbornene-pr- opylene terpolymer	CAS: 2503 8-36-2	0.237138 % ≤ x ≤ 1.614508 %	Body of the damper	0.66% ≤ x ≤ 2.18%		gasket
Stål, EN 1.0718, 0,2-0,35% Pb, (DIN 9SMnPb28, AFNOR S250Pb, UNI CF9SMnPb28, 11SMnPb30)	Alloy number: 1 .0718	0.14372 % ≤ x ≤ 1.25902 %	Body of the damper	0.4% ≤ x ≤ 1.7%		

Stål EN 1.1191 /C45E (max 0,4%Ni, AISI 1045, SS 1672)	Alloy number: E-N 1.1191	0.337742 % $\leq x \leq$ 0.955374 %	Body of the damper	0.94% $\leq x \leq$ 1.29%		
Olegerat stål EN 1.0577 (S355J2)	Alloy number: 1.0577	0.089825 % $\leq x \leq$ 0.66654 %	Body of the damper	0.25% $\leq x \leq$ 0.9%		
Akrylpolymer		0.068267 % $\leq x \leq$ 0.644322 %	Body of the damper	0.19% $\leq x \leq$ 0.87%		sealant
Stål 1.0036, Mn, P, S, N (S235 JRG1)	Alloy number: 1.0036	0.064674 % $\leq x \leq$ 0.622104 %	Body of the damper	0.18% $\leq x \leq$ 0.84%		
poly(ethylene-co-butyl acrylate), 2-Propenoic acid, butyl ester, polymer with ethene; Butyl acrylate ethylene polymer; Butyl acrylate-ethylene copolymer; Ethylene, polymer with butyl acrylate; Acrylic acid, butyl ester, polymer with ethylene	CAS: 2575 0-84-9	0.090723 25% $\leq x \leq$ 0.599886 %	Body of the damper	0.2525% $\leq x \leq$ 0.81%	Promaseal-Ix	
Expanderad grafit synonym sulfuric acid, compd. with graphite	CAS: 1277 7-87-6 EC : 235-819-4	0.090723 25% $\leq x \leq$ 0.599886 %	Body of the damper	0.2525% $\leq x \leq$ 0.81%	Promaseal-Ix	
Stål EN 10132 (0,4 % nickel) utom 75Ni8	Alloy number: E-N 10132	0.007186 % $\leq x \leq$ 0.488796 %	Body of the damper	0.02% $\leq x \leq$ 0.66%		
Rubber, silicone	CAS: 6339 4-02-5	0.132941 % $\leq x \leq$ 0.451766 %	Body of the damper	0.37% $\leq x \leq$ 0.61%		sealant

Bisguanidinium phosphate	CAS: 5423-23-4 EC: 226-552-4	0.036289 $3\% \leq x \leq 0.374003\%$	Body of the damper	$0.101\% \leq x \leq 0.505\%$	Promaseal-lx	
Talk	CAS: 14807-96-6 EC: : 238-877-9	0.036289 $3\% \leq x \leq 0.299943\%$	Body of the damper	$0.101\% \leq x \leq 0.405\%$	Promaseal-lx	
Polyvinylchlorid, PVC, Ethene, chloro-, homopolymer	CAS: 9002-86-2	0.005030 $2\% \leq x \leq 0.1681162\%$	Body of the damper	$0.014\% \leq x \leq 0.227\%$		grommet
Kaolin	CAS: 1332-58-7 EC: 310-194-1	0.003628 $93\% \leq x \leq 0.1199772\%$	Body of the damper	$0.0101\% \leq x \leq 0.162\%$	Promaseal-lx	
Polymer of polypropylene and maleic anhydride	CAS: 25722-45-6	0.003628 $93\% \leq x \leq 0.1199772\%$	Body of the damper	$0.0101\% \leq x \leq 0.162\%$	Promaseal-lx	
Dioctyl terephthalate (bis(2-ethylhexyl) benzene-1,4-dicarboxylate (DOTP))	CAS: 6422-86-2 EC: 229-176-9	0.003593 $\% \leq x \leq 0.07406\%$	Body of the damper	$0.01\% \leq x \leq 0.1\%$		plasticizer
Kalciumkarbonat	CAS: 471-34-1 EC: 2 07-439-9	0.001796 $5\% \leq x \leq 0.0377706\%$	Body of the damper	$0.005\% \leq x \leq 0.051\%$		filler
Refractories, fibers, aluminosilicate	CAS: 142844-00-6	0.003593 $\% \leq x \leq 0.022218\%$	Body of the damper	$0.01\% \leq x \leq 0.03\%$	ALSIFLEX	isolation

Epoxiderad sojabönsolja, Soybean oil, epoxidized	CAS: 8013- 07-8 EC: 232-391-0	0.001796 $5\% \leq x \leq$ 0.007406 %	Body of the damper	$0.005\% \leq$ $x \leq 0.01\%$		stabilizer
Zink-2-ethylhexano- at	CAS: 136-5 3-8 EC: 2 05-251-1	< 0.003703 %	Body of the damper	< 0.005%		stabilizer
Barium bis(2-ethylhexano- ate)	CAS: 2457- 01-4 EC: 219-535-8	< 0.003703 %	Body of the damper	< 0.005%		stabilizer
Carbon Black, pigment	CAS: 1333- 86-4 EC: 215-609-9	$\leq$ 0.002221 8%	Body of the damper	$\leq 0.003\%$		pigment
Kalciumstearat	CAS: 1592- 23-0 EC: 216-472-8	$\leq$ 0.000740 6%	Body of the damper	$\leq 0.001\%$		lubricant
Kretskort FR4, FR-4 is a composite material composed of woven fiberglass cloth with an epoxy resin binder that is flame resistant (TBBPA)		$\leq$ 0.16375 %	Actuator BELIMO	$0.46\% \leq x$ $\leq 1.31\%$		
Koppar	CAS: 7440- 50-8 EC: 231-159-6	$\leq$ 0.03625 %	Actuator BELIMO	$0.1\% \leq x$ $\leq 0.29\%$		

Tetrabromobisphenol A (epoxibundet TBBPA i mönsterkort avses, klassificeringar utgår)		$\leq 0.02375\%$	Actuator BELIMO	$0.07\% \leq x \leq 0.19\%$		
Järn	CAS: 7439-89-6 EC: 231-096-4	$\leq 0.01625\%$	Actuator BELIMO	$0.05\% \leq x \leq 0.13\%$		
Elektronik		$\leq 0.01125\%$	Actuator BELIMO	$0.032\% \leq x \leq 0.09\%$		
Zink (metallisk)	CAS: 7440-66-6 EC: 231-175-3	$\leq 0.008125\%$	Actuator BELIMO	$0.025\% \leq x \leq 0.065\%$		

Candidate List

Does the product or any of its subcomponents contain so called Substances of Very High Concern (SVHC), which are included in the Candidate List at a concentration ≥ 0.1 weight%?

Yes

State the date (year, month, day) for control of the Candidate List

2026-07-29

Nanomaterials

Does the product contain any nanomaterial that has been purposefully added to achieve a specific function?

No

4. Included materials and raw materials

Included materials and raw materials

Does the product contain recycled material?

No

5. Production phase

Questions related to production	
Has an Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804 (or equivalent for other product groups) been prepared for the product?	Yes, product specific
If you attach a product-specific EPD but it does not specify which articles it covers, please leave a comment.	

6. Describe the management of packaging for distribution of the product

Describe packaging of product when distributed	
Packaging material	Plastic Metal Cardboard Loadbearing
Describe the packaging	Dampers are delivered on pallets. As standard, the dampers are wrapped in plastic foil and corrugated cardboard is used if necessary.
What type of pallet carrier is used?	Return pallet
Does the packaging contain recycled material?	No
Specify the percentage of recycled material in the packaging/packaging material	
Are you affiliated with a packaging extended producer responsibility (EPR) scheme for the product?	Yes
Specify the extended producer responsibility (EPR) scheme applied to the packaging material.	collective third-party organization - EKO-KOM a.s.
State whether any system for taking back or recycling packaging or any other specific return system is used	Yes
Specify which system for taking back or recycling packaging or any other specific return system that is used	It is applied to cardboard and pallets

7. Construction and usage phase

Construction and usage phase	
Is there an estimated technical life for the product?	Yes
Estimated technical life for the product	20 years
Are there any special requirements such as storage conditions for the product during storage?	Yes

Please specify which	The dampers must be stored in clean, dry, well ventilated and dust-free environment out of direct sunlight. It is necessary to remove the transport packaging immediately after unloading to allow air to circulate around the product. Dampers must be stored indoor in environment without any aggressive vapours, gases or dust. Indoor temperature must be in the range from -30°C to +50°C and maximum relative humidity 95%. See the Technical specifications.
Are there any special requirements for adjacent building products because of this product?	Yes
Please specify which	During installation, the gap between the damper and the fire separating construction must be completely filled with approved material - mortar, gypsum or ablative coated batt. See the Technical specifications.
Is the product part of a group where requirements for energy labelling may exist?	No

8. Waste handling

Waste management of product	
Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?	No
Please describe	
Is material recycling possible for all or parts of the product when it becomes waste?	Yes
Please describe	Material recycling is possible for metal and electronic parts, the damper blade made of Promatect H (calcium-silicate board) can be recycled for the construction industry.
Is it possible to re-use all or parts of the product? (Can the product be reused within the product's expected lifetime?)	Yes
Please describe	The entire product can be reused during its expected service life, provided it is not damaged during disassembly/installation.
Is energy recycling possible for all or parts of the product when it becomes waste?	No
Please describe	
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	No
Please describe	
Is the delivered product classified as hazardous waste according to the waste ordinance (SFS 2020:614)?	

Please specify waste codes according to Waste ordinance 2020:614	
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electronic and electronic products when it becomes waste?	Yes

9. Indoor environment

Indoor environment	
Has emission data been produced for volatile organic compounds?	No
Please state any motivation for why emission data for volatile organic compounds is not relevant for the product:	The product does not contain organic compounds
Has the product a critical moisture condition?	

Files	
Name	Document type
ALSIFLEX_1260_1400_1430_SDS.pdf	Other supporting documents
ALSIFLEX_1260_1400_1430_SDS.pdf	Other supporting documents
ALSIFLEX_1260_1400_1430_SDS.pdf	Declaration of subcomponent
Belimo_Customer-REACH-Letter.pdf	Declaration of subcomponent
Belimo_Customer-REACH-Letter.pdf	Declaration of subcomponent
Belimo_Customer-REACH-Letter.pdf	Declaration of subcomponent
Belimo_Customer-REACH-Letter.pdf	Declaration of subcomponent
certificate_of_conformity_FDMQ-120.pdf	CE Marking/EU Declaration of conformity documentation
certificate_of_conformity_FDMQ-120.pdf	CE Marking/EU Declaration of conformity documentation
certificate_of_conformity_FDMQ-120.pdf	CE Marking/EU Declaration of conformity documentation
certificate_of_conformity_FDMQ-120.pdf	CE Marking/EU Declaration of conformity documentation
certificate_of_conformity_FDMQ-120.pdf	CE Marking/EU Declaration of conformity documentation
Declaration_RoHS_EN.pdf	RoHS declaration
EPD_Fire_Dampers_EN_2025_09_18.pdf	Environmental Product Declaration (EPD)
EPD_Fire_Dampers_EN_2025_09_18.pdf	Environmental Product Declaration (EPD)
EPD_Fire_Dampers_EN_2025_09_18.pdf	Environmental Product Declaration (EPD)
EPD_Fire_Dampers_EN_2025_09_18.pdf	Environmental Product Declaration (EPD)
EPD_Fire_Dampers_EN_2025_09_18.pdf	Environmental Product Declaration (EPD)
FDMQ_120_1_700x574.png	Product image
PM-FDMQ120-01-25-2-EN.pdf	Performance declaration
PM-FDMQ120-01-25-2-EN.pdf	Performance declaration
PM-FDMQ120-01-25-2-EN.pdf	Performance declaration
PM-FDMQ120-01-25-2-EN.pdf	Performance declaration
PM-FDMQ120-01-25-2-EN.pdf	Performance declaration
promaseal-lx-lxp-en-v3.0_SDS.pdf	Other supporting documents
promaseal-lx-lxp-en-v3.0_SDS.pdf	Other supporting documents
promaseal-lx-lxp-en-v3.0_SDS.pdf	Other supporting documents
promaseal-lx-lxp-en-v3.0_SDS.pdf	Declaration of subcomponent
promatect-h-sds-en-v1.1_SDS.pdf	Other supporting documents
promatect-h-sds-en-v1.1_SDS.pdf	Other supporting documents
promatect-h-sds-en-v1.1_SDS.pdf	Other supporting documents
promatect-h-sds-en-v1.1_SDS.pdf	Declaration of subcomponent
Sealant_LD702_cz_SDS.pdf	Other supporting documents

Sealant_LD702_cz_SDS.pdf	Other supporting documents
Sealant_LD702_cz_SDS.pdf	Other supporting documents
Sealant_LD702_cz_SDS.pdf	Other supporting documents
Technical_specifications_162_22_en_FDMQ-120.aspx.pdf	Operation and maintenance instructions
Technical_specifications_162_22_en_FDMQ-120.aspx.pdf	Operation and maintenance instructions
Technical_specifications_162_22_en_FDMQ-120.aspx.pdf	Operation and maintenance instructions
Technical_specifications_162_22_en_FDMQ-120.aspx.pdf	Operation and maintenance instructions
Technical_specifications_162_22_en_FDMQ-120.aspx.pdf	Operation and maintenance instructions

Item specification				
Item name	Item number	GTIN/EAN	RSK-number	E-number
FDMQ 120 -150x450/375	0805-0150-M66			
FDMQ 120 -225x700/375	0805-0150-L05			
FDMQ 120 -400x250/375	0805-0150-092			
FDMQ 120 -1250x800/375	0805-0150-303			
FDMQ 120 -750x225/375	0805-0150-K97			
FDMQ 120 -1500x225/375	0805-0150-H86			
FDMQ 120 -550x400/375	0805-0150-147			
FDMQ 120 -800x250/375	0805-0150-242			
FDMQ 120 -550x600/375	0805-0150-713			
FDMQ 120 -1500x400/375	0805-0150-646			
FDMQ 120 -750x500/375	0805-0150-232			
FDMQ 120 -200x450/375	0805-0150-011			
FDMQ 120 -200x300/375	0805-0150-007			
FDMQ 120 -630x355/375	0805-0150-197			
FDMQ 120 -400x225/375	0805-0150-621			
FDMQ 120 -315x315/375	0805-0150-060			
FDMQ 120 -750x150/375	0805-0150-F63			
FDMQ 120 -400x700/375	0805-0150-807			
FDMQ 120 -500x650/375	0805-0150-136			
FDMQ 120 -1400x630/375	0805-0150-309			
FDMQ 120 -200x250/375	0805-0150-006			
FDMQ 120 -700x450/375	0805-0150-812			
FDMQ 120 -600x550/375	0805-0150-184			

FDMQ 120 -280x650/375	0805-0150-C48			
FDMQ 120 -700x225/375	0805-0150-925			
FDMQ 120 -225x550/375	0805-0150-K99			
FDMQ 120 -700x710/375	0805-0150-F70			
FDMQ 120 -1000x700/375	0805-0150-817			
FDMQ 120 -300x280/375	0805-0150-C52			
FDMQ 120 -315x200/375	0805-0150-057			
FDMQ 120 -150x600/375	0805-0150-G53			
FDMQ 120 -560x650/375	0805-0150-170			
FDMQ 120 -650x560/375	0805-0150-C56			
FDMQ 120 -225x150/375	0805-0150-M57			
FDMQ 120 -200x700/375	0805-0150-947			
FDMQ 120 -600x450/375	0805-0150-182			
FDMQ 120 -300x400/375	0805-0150-045			
FDMQ 120 -280x250/375	0805-0150-611			
FDMQ 120 -1400x450/375	0805-0150-830			
FDMQ 120 -560x300/375	0805-0150-161			
FDMQ 120 -280x280/375	0805-0150-645			
FDMQ 120 -600x700/375	0805-0150-811			
FDMQ 120 -900x710/375	0805-0150-267			
FDMQ 120 -500x225/375	0805-0150-618			
FDMQ 120 -650x750/375	0805-0150-C59			
FDMQ 120 -630x600/375	0805-0150-C30			
FDMQ 120 -500x150/375	0805-0150-D79			

FDMQ 120 -355x710/375	0805-0150-086			
FDMQ 120 -180x550/375	0805-0150-990			
FDMQ 120 -450x560/375	0805-0150-117			
FDMQ 120 -500x500/375	0805-0150-132			
FDMQ 120 -630x150/375	0805-0150-M63			
FDMQ 120 -650x550/375	0805-0150-A75			
FDMQ 120 -225x710/375	0805-0150-L06			
FDMQ 120 -1000x225/375	0805-0150-B39			
FDMQ 120 -150x400/375	0805-0150-F65			
FDMQ 120 -700x500/375	0805-0150-601			
FDMQ 120 -280x355/375	0805-0150-866			
FDMQ 120 -280x800/375	0805-0150-C50			
FDMQ 120 -1250x200/375	0805-0150-619			
FDMQ 120 -225x630/375	0805-0150-L03			
FDMQ 120 -250x550/375	0805-0150-031			
FDMQ 120 -1100x600/375	0805-0150-819			
FDMQ 120 -1250x315/375	0805-0150-627			
FDMQ 120 -710x300/375	0805-0150-211			
FDMQ 120 -280x560/375	0805-0150-721			
FDMQ 120 -550x630/375	0805-0150-152			
FDMQ 120 -500x180/375	0805-0150-674			
FDMQ 120 -1400x800/375	0805-0150-313			
FDMQ 120 -1400x650/375	0805-0150-310			
FDMQ 120 -1250x710/375	0805-0150-301			

FDMQ 120 -630x180/375	0805-0150-715			
FDMQ 120 -355x315/375	0805-0150-077			
FDMQ 120 -1250x355/375	0805-0150-840			
FDMQ 120 -250x560/375	0805-0150-032			
FDMQ 120 -1250x280/375	0805-0150-845			
FDMQ 120 -560x750/375	0805-0150-172			
FDMQ 120 -630x315/375	0805-0150-196			
FDMQ 120 -450x650/375	0805-0150-119			
FDMQ 120 -450x600/375	0805-0150-808			
FDMQ 120 -750x650/375	0805-0150-236			
FDMQ 120 -315x600/375	0805-0150-955			
FDMQ 120 -550x650/375	0805-0150-153			
FDMQ 120 -180x650/375	0805-0150-C40			
FDMQ 120 -900x700/375	0805-0150-677			
FDMQ 120 -800x650/375	0805-0150-252			
FDMQ 120 -225x315/375	0805-0150-951			
FDMQ 120 -225x650/375	0805-0150-L04			
FDMQ 120 -710x355/375	0805-0150-213			
FDMQ 120 -1000x800/375	0805-0150-281			
FDMQ 120 -710x500/375	0805-0150-216			
FDMQ 120 -630x700/375	0805-0150-J54			
FDMQ 120 -1250x650/375	0805-0150-300			
FDMQ 120 -550x355/375	0805-0150-146			
FDMQ 120 -630x650/375	0805-0150-204			

FDMQ 120 -225x400/375	0805-0150-943			
FDMQ 120 -250x225/375	0805-0150-650			
FDMQ 120 -355x150/375	0805-0150-H52			
FDMQ 120 -280x600/375	0805-0150-C47			
FDMQ 120 -1400x560/375	0805-0150-308			
FDMQ 120 -700x315/375	0805-0150-858			
FDMQ 120 -550x150/375	0805-0150-D83			
FDMQ 120 -180x200/375	0805-0150-002			
FDMQ 120 -550x300/375	0805-0150-144			
FDMQ 120 -300x800/375	0805-0150-054			
FDMQ 120 -300x700/375	0805-0150-778			
FDMQ 120 -500x315/375	0805-0150-128			
FDMQ 120 -650x450/375	0805-0150-766			
FDMQ 120 -450x315/375	0805-0150-111			
FDMQ 120 -300x650/375	0805-0150-051			
FDMQ 120 -900x560/375	0805-0150-264			
FDMQ 120 -250x600/375	0805-0150-981			
FDMQ 120 -1100x400/375	0805-0150-284			
FDMQ 120 -1000x355/375	0805-0150-616			
FDMQ 120 -355x180/375	0805-0150-701			
FDMQ 120 -1500x355/375	0805-0150-876			
FDMQ 120 -650x630/375	0805-0150-C57			
FDMQ 120 -560x225/375	0805-0150-954			
FDMQ 120 -355x355/375	0805-0150-078			

FDMQ 120 -500x355/375	0805-0150-129			
FDMQ 120 -800x300/375	0805-0150-243			
FDMQ 120 -1250x750/375	0805-0150-302			
FDMQ 120 -1100x500/375	0805-0150-286			
FDMQ 120 -750x180/375	0805-0150-961			
FDMQ 120 -300x250/375	0805-0150-041			
FDMQ 120 -280x630/375	0805-0150-780			
FDMQ 120 -225x800/375	0805-0150-K74			
FDMQ 120 -1400x710/375	0805-0150-311			
FDMQ 120 -280x300/375	0805-0150-C45			
FDMQ 120 -710x550/375	0805-0150-217			
FDMQ 120 -200x650/375	0805-0150-016			
FDMQ 120 -900x180/375	0805-0150-946			
FDMQ 120 -225x180/375	0805-0150-904			
FDMQ 120 -250x280/375	0805-0150-644			
FDMQ 120 -355x800/375	0805-0150-088			
FDMQ 120 -710x630/375	0805-0150-219			
FDMQ 120 -1100x650/375	0805-0150-290			
FDMQ 120 -600x600/375	0805-0150-690			
FDMQ 120 -1100x355/375	0805-0150-A88			
FDMQ 120 -180x300/375	0805-0150-C36			
FDMQ 120 -300x200/375	0805-0150-040			
FDMQ 120 -1500x450/375	0805-0150-834			
FDMQ 120 -250x150/375	0805-0150-D59			

FDMQ 120 -1100x710/375	0805-0150-291			
FDMQ 120 -355x650/375	0805-0150-085			
FDMQ 120 -800x750/375	0805-0150-254			
FDMQ 120 -560x800/375	0805-0150-173			
FDMQ 120 -1250x550/375	0805-0150-297			
FDMQ 120 -710x710/375	0805-0150-221			
FDMQ 120 -1400x180/375	0805-0150-A32			
FDMQ 120 -450x355/375	0805-0150-112			
FDMQ 120 -800x450/375	0805-0150-247			
FDMQ 120 -225x250/375	0805-0150-997			
FDMQ 120 -500x550/375	0805-0150-133			
FDMQ 120 -355x560/375	0805-0150-083			
FDMQ 120 -650x710/375	0805-0150-C58			
FDMQ 120 -800x150/375	0805-0150-D51			
FDMQ 120 -1100x630/375	0805-0150-289			
FDMQ 120 -180x500/375	0805-0150-C37			
FDMQ 120 -300x300/375	0805-0150-042			
FDMQ 120 -1250x400/375	0805-0150-663			
FDMQ 120 -900x400/375	0805-0150-260			
FDMQ 120 -700x150/375	0805-0150-D64			
FDMQ 120 -355x300/375	0805-0150-076			
FDMQ 120 -560x280/375	0805-0150-729			
FDMQ 120 -280x550/375	0805-0150-C46			
FDMQ 120 -800x710/375	0805-0150-253			

FDMQ 120 -560x710/375	0805-0150-171			
FDMQ 120 -710x560/375	0805-0150-218			
FDMQ 120 -1400x600/375	0805-0150-831			
FDMQ 120 -1500x630/375	0805-0150-319			
FDMQ 120 -500x200/375	0805-0150-125			
FDMQ 120 -700x650/375	0805-0150-C02			
FDMQ 120 -180x355/375	0805-0150-A37			
FDMQ 120 -560x355/375	0805-0150-163			
FDMQ 120 -650x250/375	0805-0150-683			
FDMQ 120 -315x300/375	0805-0150-059			
FDMQ 120 -400x280/375	0805-0150-607			
FDMQ 120 -630x300/375	0805-0150-195			
FDMQ 120 -1500x280/375	0805-0150-C77			
FDMQ 120 -180x600/375	0805-0150-C38			
FDMQ 120 -600x280/375	0805-0150-944			
FDMQ 120 -300x150/375	0805-0150-D47			
FDMQ 120 -1250x300/375	0805-0150-921			
FDMQ 120 -500x300/375	0805-0150-127			
FDMQ 120 -1100x200/375	0805-0150-631			
FDMQ 120 -1500x600/375	0805-0150-835			
FDMQ 120 -630x710/375	0805-0150-205			
FDMQ 120 -180x315/375	0805-0150-730			
FDMQ 120 -650x650/375	0805-0150-931			
FDMQ 120 -1000x150/375	0805-0150-F87			

FDMQ 120 -700x700/375	0805-0150-757			
FDMQ 120 -800x630/375	0805-0150-251			
FDMQ 120 -750x400/375	0805-0150-230			
FDMQ 120 -1400x250/375	0805-0150-636			
FDMQ 120 -630x800/375	0805-0150-207			
FDMQ 120 -560x500/375	0805-0150-166			
FDMQ 120 -1000x250/375	0805-0150-615			
FDMQ 120 -560x600/375	0805-0150-C53			
FDMQ 120 -650x200/375	0805-0150-693			
FDMQ 120 -1250x600/375	0805-0150-872			
FDMQ 120 -400x600/375	0805-0150-679			
FDMQ 120 -200x200/375	0805-0150-005			
FDMQ 120 -1400x550/375	0805-0150-307			
FDMQ 120 -710x280/375	0805-0150-657			
FDMQ 120 -560x200/375	0805-0150-159			
FDMQ 120 -750x355/375	0805-0150-229			
FDMQ 120 -900x280/375	0805-0150-797			
FDMQ 120 -1000x550/375	0805-0150-275			
FDMQ 120 -250x650/375	0805-0150-034			
FDMQ 120 -650x180/375	0805-0150-953			
FDMQ 120 -450x280/375	0805-0150-708			
FDMQ 120 -300x225/375	0805-0150-K62			
FDMQ 120 -450x500/375	0805-0150-115			
FDMQ 120 -550x250/375	0805-0150-143			

FDMQ 120 -180x560/375	0805-0150-975			
FDMQ 120 -355x750/375	0805-0150-087			
FDMQ 120 -180x450/375	0805-0150-989			
FDMQ 120 -250x250/375	0805-0150-024			
FDMQ 120 -280x200/375	0805-0150-666			
FDMQ 120 -1400x280/375	0805-0150-988			
FDMQ 120 -700x200/375	0805-0150-748			
FDMQ 120 -150x300/375	0805-0150-G31			
FDMQ 120 -1100x450/375	0805-0150-285			
FDMQ 120 -355x630/375	0805-0150-084			
FDMQ 120 -200x600/375	0805-0150-A34			
FDMQ 120 -450x180/375	0805-0150-688			
FDMQ 120 -300x750/375	0805-0150-053			
FDMQ 120 -280x750/375	0805-0150-C49			
FDMQ 120 -900x550/375	0805-0150-263			
FDMQ 120 -1000x300/375	0805-0150-675			
FDMQ 120 -630x225/375	0805-0150-670			
FDMQ 120 -550x500/375	0805-0150-149			
FDMQ 120 -315x800/375	0805-0150-071			
FDMQ 120 -1000x630/375	0805-0150-277			
FDMQ 120 -1000x560/375	0805-0150-276			
FDMQ 120 -630x250/375	0805-0150-194			
FDMQ 120 -450x150/375	0805-0150-D57			
FDMQ 120 -250x630/375	0805-0150-033			

FDMQ 120 -900x225/375	0805-0150-740			
FDMQ 120 -550x200/375	0805-0150-142			
FDMQ 120 -1100x180/375	0805-0150-B61			
FDMQ 120 -400x355/375	0805-0150-095			
FDMQ 120 -1250x250/375	0805-0150-613			
FDMQ 120 -280x315/375	0805-0150-676			
FDMQ 120 -150x500/375	0805-0150-H71			
FDMQ 120 -200x800/375	0805-0150-019			
FDMQ 120 -600x630/375	0805-0150-186			
FDMQ 120 -1100x700/375	0805-0150-737			
FDMQ 120 -1000x180/375	0805-0150-992			
FDMQ 120 -200x355/375	0805-0150-009			
FDMQ 120 -225x200/375	0805-0150-622			
FDMQ 120 -500x710/375	0805-0150-137			
FDMQ 120 -800x500/375	0805-0150-248			
FDMQ 120 -1500x650/375	0805-0150-320			
FDMQ 120 -355x250/375	0805-0150-075			
FDMQ 120 -150x355/375	0805-0150-M67			
FDMQ 120 -280x225/375	0805-0150-680			
FDMQ 120 -300x180/375	0805-0150-696			
FDMQ 120 -150x560/375	0805-0150-M64			
FDMQ 120 -225x280/375	0805-0150-I80			
FDMQ 120 -1500x800/375	0805-0150-323			
FDMQ 120 -710x400/375	0805-0150-214			

FDMQ 120 -450x710/375	0805-0150-120			
FDMQ 120 -315x550/375	0805-0150-065			
FDMQ 120 -300x550/375	0805-0150-048			
FDMQ 120 -250x500/375	0805-0150-030			
FDMQ 120 -180x700/375	0805-0150-K95			
FDMQ 120 -500x700/375	0805-0150-810			
FDMQ 120 -280x710/375	0805-0150-938			
FDMQ 120 -150x550/375	0805-0150-M65			
FDMQ 120 -700x300/375	0805-0150-695			
FDMQ 120 -560x700/375	0805-0150-J50			
FDMQ 120 -315x560/375	0805-0150-066			
FDMQ 120 -180x225/375	0805-0150-K94			
FDMQ 120 -800x355/375	0805-0150-245			
FDMQ 120 -1000x280/375	0805-0150-720			
FDMQ 120 -1000x200/375	0805-0150-651			
FDMQ 120 -600x710/375	0805-0150-188			
FDMQ 120 -225x450/375	0805-0150-I32			
FDMQ 120 -750x300/375	0805-0150-227			
FDMQ 120 -300x315/375	0805-0150-043			
FDMQ 120 -710x450/375	0805-0150-215			
FDMQ 120 -650x315/375	0805-0150-789			
FDMQ 120 -560x400/375	0805-0150-164			
FDMQ 120 -750x250/375	0805-0150-226			
FDMQ 120 -550x710/375	0805-0150-154			

FDMQ 120 -630x280/375	0805-0150-605			
FDMQ 120 -400x400/375	0805-0150-096			
FDMQ 120 -355x225/375	0805-0150-681			
FDMQ 120 -280x700/375	0805-0150-J39			
FDMQ 120 -225x750/375	0805-0150-H98			
FDMQ 120 -1500x560/375	0805-0150-318			
FDMQ 120 -700x250/375	0805-0150-632			
FDMQ 120 -750x600/375	0805-0150-A72			
FDMQ 120 -1500x500/375	0805-0150-316			
FDMQ 120 -600x200/375	0805-0150-176			
FDMQ 120 -225x600/375	0805-0150-L02			
FDMQ 120 -400x550/375	0805-0150-099			
FDMQ 120 -550x750/375	0805-0150-155			
FDMQ 120 -800x315/375	0805-0150-244			
FDMQ 120 -900x600/375	0805-0150-705			
FDMQ 120 -700x800/375	0805-0150-814			
FDMQ 120 -280x450/375	0805-0150-723			
FDMQ 120 -900x200/375	0805-0150-772			
FDMQ 120 -1500x750/375	0805-0150-322			
FDMQ 120 -150x150/375	0805-0150-D45			
FDMQ 120 -500x750/375	0805-0150-138			
FDMQ 120 -450x630/375	0805-0150-118			
FDMQ 120 -1250x560/375	0805-0150-298			
FDMQ 120 -1500x710/375	0805-0150-321			

FDMQ 120 -550x450/375	0805-0150-148			
FDMQ 120 -150x225/375	0805-0150-M70			
FDMQ 120 -315x280/375	0805-0150-639			
FDMQ 120 -315x355/375	0805-0150-061			
FDMQ 120 -500x280/375	0805-0150-608			
FDMQ 120 -150x180/375	0805-0150-M71			
FDMQ 120 -1500x200/375	0805-0150-832			
FDMQ 120 -400x200/375	0805-0150-091			
FDMQ 120 -400x650/375	0805-0150-102			
FDMQ 120 -900x800/375	0805-0150-269			
FDMQ 120 -600x225/375	0805-0150-985			
FDMQ 120 -1100x225/375	0805-0150-l87			
FDMQ 120 -1000x400/375	0805-0150-272			
FDMQ 120 -1250x700/375	0805-0150-669			
FDMQ 120 -560x450/375	0805-0150-165			
FDMQ 120 -650x700/375	0805-0150-871			
FDMQ 120 -900x150/375	0805-0150-D77			
FDMQ 120 -560x180/375	0805-0150-731			
FDMQ 120 -315x250/375	0805-0150-058			
FDMQ 120 -710x180/375	0805-0150-A17			
FDMQ 120 -750x200/375	0805-0150-725			
FDMQ 120 -250x300/375	0805-0150-025			
FDMQ 120 -900x250/375	0805-0150-604			
FDMQ 120 -700x280/375	0805-0150-986			

FDMQ 120 -600x800/375	0805-0150-190			
FDMQ 120 -750x450/375	0805-0150-231			
FDMQ 120 -180x630/375	0805-0150-C39			
FDMQ 120 -600x500/375	0805-0150-183			
FDMQ 120 -600x250/375	0805-0150-177			
FDMQ 120 -250x750/375	0805-0150-036			
FDMQ 120 -550x180/375	0805-0150-717			
FDMQ 120 -1400x300/375	0805-0150-828			
FDMQ 120 -150x200/375	0805-0150-F64			
FDMQ 120 -1000x600/375	0805-0150-659			
FDMQ 120 -560x315/375	0805-0150-162			
FDMQ 120 -400x630/375	0805-0150-101			
FDMQ 120 -180x180/375	0805-0150-001			
FDMQ 120 -900x500/375	0805-0150-262			
FDMQ 120 -300x710/375	0805-0150-052			
FDMQ 120 -710x200/375	0805-0150-647			
FDMQ 120 -800x550/375	0805-0150-249			
FDMQ 120 -250x180/375	0805-0150-022			
FDMQ 120 -550x225/375	0805-0150-B43			
FDMQ 120 -1000x710/375	0805-0150-279			
FDMQ 120 -600x315/375	0805-0150-179			
FDMQ 120 -600x400/375	0805-0150-181			
FDMQ 120 -700x600/375	0805-0150-813			
FDMQ 120 -1100x750/375	0805-0150-292			

FDMQ 120 -650x150/375	0805-0150-F55			
FDMQ 120 -200x710/375	0805-0150-017			
FDMQ 120 -600x180/375	0805-0150-716			
FDMQ 120 -355x500/375	0805-0150-081			
FDMQ 120 -200x630/375	0805-0150-015			
FDMQ 120 -280x400/375	0805-0150-786			
FDMQ 120 -650x300/375	0805-0150-838			
FDMQ 120 -355x700/375	0805-0150-E29			
FDMQ 120 -560x250/375	0805-0150-160			
FDMQ 120 -315x225/375	0805-0150-635			
FDMQ 120 -800x400/375	0805-0150-246			
FDMQ 120 -630x630/375	0805-0150-203			
FDMQ 120 -355x550/375	0805-0150-082			
FDMQ 120 -180x280/375	0805-0150-643			
FDMQ 120 -200x225/375	0805-0150-774			
FDMQ 120 -1400x400/375	0805-0150-653			
FDMQ 120 -250x450/375	0805-0150-029			
FDMQ 120 -500x450/375	0805-0150-131			
FDMQ 120 -1400x700/375	0805-0150-609			
FDMQ 120 -650x355/375	0805-0150-C55			
FDMQ 120 -550x700/375	0805-0150-D73			
FDMQ 120 -1000x650/375	0805-0150-278			
FDMQ 120 -600x150/375	0805-0150-D60			
FDMQ 120 -1100x550/375	0805-0150-287			

FDMQ 120 -1500x250/375	0805-0150-614			
FDMQ 120 -750x800/375	0805-0150-239			
FDMQ 120 -200x500/375	0805-0150-012			
FDMQ 120 -225x500/375	0805-0150-B11			
FDMQ 120 -315x710/375	0805-0150-069			
FDMQ 120 -450x400/375	0805-0150-113			
FDMQ 120 -630x750/375	0805-0150-206			
FDMQ 120 -225x300/375	0805-0150-K98			
FDMQ 120 -315x750/375	0805-0150-070			
FDMQ 120 -800x180/375	0805-0150-634			
FDMQ 120 -800x600/375	0805-0150-624			
FDMQ 120 -1250x630/375	0805-0150-299			
FDMQ 120 -700x560/375	0805-0150-735			
FDMQ 120 -450x750/375	0805-0150-121			
FDMQ 120 -900x315/375	0805-0150-258			
FDMQ 120 -650x800/375	0805-0150-H68			
FDMQ 120 -400x450/375	0805-0150-097			
FDMQ 120 -700x750/375	0805-0150-G29			
FDMQ 120 -200x150/375	0805-0150-D44			
FDMQ 120 -650x600/375	0805-0150-744			
FDMQ 120 -280x500/375	0805-0150-724			
FDMQ 120 -450x450/375	0805-0150-114			
FDMQ 120 -400x500/375	0805-0150-098			
FDMQ 120 -300x600/375	0805-0150-801			

FDMQ 120 -400x560/375	0805-0150-100			
FDMQ 120 -180x400/375	0805-0150-754			
FDMQ 120 -1400x355/375	0805-0150-749			
FDMQ 120 -450x800/375	0805-0150-122			
FDMQ 120 -750x710/375	0805-0150-237			
FDMQ 120 -560x150/375	0805-0150-M60			
FDMQ 120 -150x315/375	0805-0150-M68			
FDMQ 120 -200x750/375	0805-0150-018			
FDMQ 120 -700x355/375	0805-0150-D75			
FDMQ 120 -1400x225/375	0805-0150-847			
FDMQ 120 -560x550/375	0805-0150-167			
FDMQ 120 -630x450/375	0805-0150-199			
FDMQ 120 -250x800/375	0805-0150-037			
FDMQ 120 -650x500/375	0805-0150-764			
FDMQ 120 -200x550/375	0805-0150-013			
FDMQ 120 -600x650/375	0805-0150-187			
FDMQ 120 -1100x315/375	0805-0150-936			
FDMQ 120 -710x250/375	0805-0150-210			
FDMQ 120 -355x280/375	0805-0150-603			
FDMQ 120 -700x630/375	0805-0150-678			
FDMQ 120 -1250x180/375	0805-0150-K96			
FDMQ 120 -180x750/375	0805-0150-C42			
FDMQ 120 -900x300/375	0805-0150-771			
FDMQ 120 -800x700/375	0805-0150-815			

FDMQ 120 -315x400/375	0805-0150-062			
FDMQ 120 -400x180/375	0805-0150-687			
FDMQ 120 -225x225/375	0805-0150-694			
FDMQ 120 -355x600/375	0805-0150-900			
FDMQ 120 -315x500/375	0805-0150-064			
FDMQ 120 -800x800/375	0805-0150-255			
FDMQ 120 -600x560/375	0805-0150-185			
FDMQ 120 -1250x500/375	0805-0150-296			
FDMQ 120 -710x600/375	0805-0150-912			
FDMQ 120 -630x400/375	0805-0150-198			
FDMQ 120 -710x650/375	0805-0150-220			
FDMQ 120 -355x400/375	0805-0150-079			
FDMQ 120 -1000x315/375	0805-0150-648			
FDMQ 120 -250x400/375	0805-0150-028			
FDMQ 120 -750x315/375	0805-0150-228			
FDMQ 120 -500x560/375	0805-0150-134			
FDMQ 120 -250x700/375	0805-0150-B89			
FDMQ 120 -800x560/375	0805-0150-250			
FDMQ 120 -500x250/375	0805-0150-126			
FDMQ 120 -1500x700/375	0805-0150-836			
FDMQ 120 -200x180/375	0805-0150-004			
FDMQ 120 -450x550/375	0805-0150-116			
FDMQ 120 -1100x250/375	0805-0150-630			
FDMQ 120 -500x400/375	0805-0150-130			

FDMQ 120 -180x710/375	0805-0150-C41			
FDMQ 120 -750x560/375	0805-0150-234			
FDMQ 120 -400x800/375	0805-0150-105			
FDMQ 120 -710x800/375	0805-0150-223			
FDMQ 120 -225x560/375	0805-0150-L01			
FDMQ 120 -900x750/375	0805-0150-268			
FDMQ 120 -200x560/375	0805-0150-014			
FDMQ 120 -200x315/375	0805-0150-008			
FDMQ 120 -300x355/375	0805-0150-044			
FDMQ 120 -150x250/375	0805-0150-H15			
FDMQ 120 -800x225/375	0805-0150-733			
FDMQ 120 -355x200/375	0805-0150-074			
FDMQ 120 -630x500/375	0805-0150-200			
FDMQ 120 -250x710/375	0805-0150-035			
FDMQ 120 -550x550/375	0805-0150-150			
FDMQ 120 -400x300/375	0805-0150-093			
FDMQ 120 -180x800/375	0805-0150-C43			
FDMQ 120 -500x600/375	0805-0150-777			
FDMQ 120 -450x225/375	0805-0150-682			
FDMQ 120 -250x315/375	0805-0150-026			
FDMQ 120 -1000x750/375	0805-0150-280			
FDMQ 120 -1500x550/375	0805-0150-317			
FDMQ 120 -1500x300/375	0805-0150-833			
FDMQ 120 -900x450/375	0805-0150-261			

FDMQ 120 -450x200/375	0805-0150-108			
FDMQ 120 -1100x800/375	0805-0150-293			
FDMQ 120 -400x150/375	0805-0150-D55			
FDMQ 120 -250x200/375	0805-0150-023			
FDMQ 120 -1250x225/375	0805-0150-671			
FDMQ 120 -1500x315/375	0805-0150-787			
FDMQ 120 -500x800/375	0805-0150-139			
FDMQ 120 -450x700/375	0805-0150-809			
FDMQ 120 -710x315/375	0805-0150-212			
FDMQ 120 -300x630/375	0805-0150-050			
FDMQ 120 -450x250/375	0805-0150-109			
FDMQ 120 -400x710/375	0805-0150-103			
FDMQ 120 -280x150/375	0805-0150-M58			
FDMQ 120 -600x750/375	0805-0150-189			
FDMQ 120 -225x355/375	0805-0150-A57			
FDMQ 120 -600x355/375	0805-0150-180			
FDMQ 120 -1100x300/375	0805-0150-726			
FDMQ 120 -315x650/375	0805-0150-068			
FDMQ 120 -710x700/375	0805-0150-H79			
FDMQ 120 -710x750/375	0805-0150-222			
FDMQ 120 -1400x750/375	0805-0150-312			
FDMQ 120 -450x300/375	0805-0150-110			
FDMQ 120 -900x355/375	0805-0150-259			
FDMQ 120 -315x700/375	0805-0150-853			

FDMQ 120 -650x400/375	0805-0150-939			
FDMQ 120 -355x450/375	0805-0150-080			
FDMQ 120 -750x630/375	0805-0150-235			
FDMQ 120 -710x150/375	0805-0150-M61			
FDMQ 120 -180x250/375	0805-0150-003			
FDMQ 120 -800x280/375	0805-0150-606			
FDMQ 120 -550x800/375	0805-0150-156			
FDMQ 120 -300x450/375	0805-0150-046			
FDMQ 120 -900x650/375	0805-0150-266			
FDMQ 120 -315x180/375	0805-0150-673			
FDMQ 120 -650x225/375	0805-0150-H10			
FDMQ 120 -500x630/375	0805-0150-135			
FDMQ 120 -1100x280/375	0805-0150-A50			
FDMQ 120 -750x700/375	0805-0150-G19			
FDMQ 120 -150x630/375	0805-0150-M62			
FDMQ 120 -560x630/375	0805-0150-169			
FDMQ 120 -710x225/375	0805-0150-739			
FDMQ 120 -400x750/375	0805-0150-104			
FDMQ 120 -750x550/375	0805-0150-233			
FDMQ 120 -550x315/375	0805-0150-145			
FDMQ 120 -1400x200/375	0805-0150-827			
FDMQ 120 -700x550/375	0805-0150-973			
FDMQ 120 -315x150/375	0805-0150-M59			
FDMQ 120 -750x750/375	0805-0150-238			

FDMQ 120 -630x200/375	0805-0150-193			
FDMQ 120 -630x550/375	0805-0150-201			
FDMQ 120 -750x280/375	0805-0150-B28			
FDMQ 120 -1100x560/375	0805-0150-288			
FDMQ 120 -800x200/375	0805-0150-617			
FDMQ 120 -650x280/375	0805-0150-C54			
FDMQ 120 -700x400/375	0805-0150-649			
FDMQ 120 -315x450/375	0805-0150-063			
FDMQ 120 -200x280/375	0805-0150-935			
FDMQ 120 -900x630/375	0805-0150-265			
FDMQ 120 -550x280/375	0805-0150-963			
FDMQ 120 -1400x500/375	0805-0150-306			
FDMQ 120 -600x300/375	0805-0150-178			
FDMQ 120 -630x560/375	0805-0150-202			
FDMQ 120 -400x315/375	0805-0150-094			
FDMQ 120 -200x400/375	0805-0150-010			
FDMQ 120 -315x630/375	0805-0150-067			
FDMQ 120 -1500x180/375	0805-0150-D89			
FDMQ 120 -1000x500/375	0805-0150-274			
FDMQ 120 -550x560/375	0805-0150-151			
FDMQ 120 -1000x450/375	0805-0150-273			
FDMQ 120 -1400x315/375	0805-0150-841			
FDMQ 120 -560x560/375	0805-0150-168			
FDMQ 120 -180x150/375	0805-0150-M56			

FDMQ 120 -700x180/375	0805-0150-917			
FDMQ 120 -300x500/375	0805-0150-047			
FDMQ 120 -1250x450/375	0805-0150-692			
FDMQ 120 -300x560/375	0805-0150-049			
FDMQ 120 -150x280/375	0805-0150-M69			
FDMQ 120 -280x180/375	0805-0150-672			
FDMQ 120 -250x355/375	0805-0150-027			

Certificate of substance content and concentrations

It is hereby certified for the product that

- ☐ Concentrations of the constituent substances have been reported down to a percentage by weight (wt%) of 0,01.
(This implies a complete declaration of contents in which all substances present in concentrations of $\geq 0,01$ wt% have been reported.)
Substances that are subject to specific concentration limits $< 0,01$ wt%: These substances are reported if they occur in concentrations up to 10 times lower than their specific concentration limit. (This means that if a substance's specific concentration limit is 0,0015 wt%, concentrations $\geq 0,00015$ wt% are to be reported.)
Actively added or contamination of mercury has been reported regardless of concentration.
Cadmium is reported in cases of $\geq 0,001$ wt%.
- ☐ Concentrations of the constituent substances have been reported down to 0,1 wt%.
(This implies a complete declaration of contents in which all substances of concentrations $\geq 0,1$ wt% have been reported.)
Substances that are subject to specific concentration limits $< 0,1$ wt% have been reported when they occur. (This means that if a substance's specific concentration limit is 0,0015 wt%, concentrations $\geq 0,0015$ wt% are to be reported.)
-Actively added or contamination of mercury has been reported regardless of concentration.
-Cadmium is reported in cases of $\geq 0,01$ wt%.
- ☒ None of the above alternatives but I have followed the instructions for Declaration of content, Bygghälsöversynens reporting requirements 2019-1 (Annex 1. Table 1)

I have followed Bygghälsöversynens reporting requirements 2019-1 (Annex 1. Table 1) equivalent to:

- ☒ Accepted level
- ☐ Recommended level

Specifically indicated substances

Does the product contain any of the below listed substances or has any of the below listed substances been added during production phase or formed through reactions between the substances in the product?

Substance group/Substance

Arsenic and its compounds

Brominated flame retardants

Per- and polyfluoroalkyl substances (PFAS)

Organotin compounds

Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-bacterial effect.

Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that products assessed as Recommended do not raise background concentrations through their use or disposal (for example; sludge from sewage treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for sensitive land use. <https://www.naturvardsverket.se/Stod-i-miljoarbetet/Vagledningar/Forenaden-omraden/Riktvarde-for-forenaden-mark/>

- ☐ Yes
- ☒ No

Verification

- ☒ I Veronika Jenčíková hereby certify that the above data given in section Certificate of substance content and concentrations, is correct to my best knowledge.