





## DOZ paigaldus • installation • asennus

| Nominal size | A   | A1  | l  | n  | kg  |
|--------------|-----|-----|----|----|-----|
| 125-450      | 450 | 410 | 60 | 18 | 2,9 |
| 125-600      | 595 | 560 | 60 | 18 | 4,8 |
| 160-450      | 450 | 410 | 65 | 18 | 2,9 |
| 160-600      | 595 | 560 | 65 | 18 | 4,8 |
| 200-450      | 450 | 410 | 65 | 36 | 2,8 |
| 200-600      | 595 | 560 | 65 | 36 | 4,8 |
| 250-600      | 595 | 560 | 65 | 60 | 4,7 |
| 315-600      | 595 | 560 | 65 | 60 | 4,6 |
| 400-600      | 595 | 560 | 65 | 60 | 4,8 |





# DOZ paigaldus • installation • asennus


DOZ+SKDM



DOZ



# DOZ paigaldus • installation • asennus



DOZ+SKDM k-value

| DOZ+SKDM        | S    |      |      |      |      |      |      |      |
|-----------------|------|------|------|------|------|------|------|------|
|                 | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    |
| DOZ 125-450/600 | 2,19 | 3,93 | 5,43 | 6,38 |      |      |      |      |
| DOZ 160-450/600 | 2,39 | 4,17 | 5,87 | 7,27 | 8,44 | 9,11 |      |      |
| DOZ 200-450/600 | 3,25 | 6,57 | 9,38 | 11,9 | 13,9 | 15   |      |      |
| DOZ 250-600     | 5,44 | 9,95 | 14,3 | 18,3 | 21,4 | 23,3 |      |      |
| DOZ 315-600     | 6,03 | 12,4 | 17,7 | 22,9 | 27   | 29,5 |      |      |
| DOZ 400-600     | 8,09 | 14,4 | 21   | 27   | 32,6 | 37,2 | 40,5 | 43,7 |

# DOZ paigaldus • installation • asennus

